

Everything you want!

E-CONNECT S

Specifications :

Rotational Speed Range : 120 - 1000 rpm
Torque Range : 0.5 - 4.0 Ncm
Memory Programs : 10 (M1 to M10)
Battery Capacity : 1500 mAh



Apex Locator Integrated !

360° Adjustable
Contra Angle



Pre-set File Settings
Quickly switch between file
systems without memorizing
torque/speed settings



Brushless Motor
Reliable, efficient, longer life



E CAN - Miniature Head
Advance 1:1 contra angle
One piece body design



Built-in Apex Locator
Integrate with motor function or
use as stand alone apex locator by
plugging-in manual measuring wire

Working Modes :

- FWD - Forward Rotation 
- REV - Reverse Rotation 
- REC - Reciprocation Movement 
- ATC - Adaptive Torque Control



Integrated mode features :

Auto Start & Stop - Motor starts moving when the file enters inside root canal, and stops when withdrawn **1**

Apical Reverse - When the file reaches pre-set apical reverse point, user can define whether the file starts moving in reverse direction **2**

Apical Slow Down - To preserve the cemento-dentinal junction and avoid file separation, speed of motor slows down when file is in apical region **3**

APEX LOCATOR

- Apical control with rotary instruments
- Manual canal measurement
- Multi frequency technology with high accuracy & precision
- Apex locator flash bar with zoom-in function





Torque Calibration
For precise torque output



Ambidextrous Display
Screen can be rotated as per left or right hand use



OLED Screen
Digital OLED Display



Powerful Battery
Heavy duty 1500mAh lithium battery

